

Product Name:	Metal case 12v power controller, power switch, ups manufacturer
Input Frequecy:	50-60 Hz
Output Voltage:	12V DC
Output power:	50W
Output Cureent:	5 A
Time Relay:	0-15 second
Input Voltage:	110-240 VAC
Dimension:	212*172*70mm
Frequency of Remoter:	315 MHz/433MHz
Capacity of Remoters :	30pcs

What Features of our UPS?





1.Input: AC 110V~240V, 20~60Hz

2.Output:DC 12V,5A or 3A

3. Double face PC board, pure copper transformer

4. Output short-circuit and overload protection


5.0~15 seconds time relay adjustable

6.2 years warranty , welcome OEM

IN-KIND SHOOTING



APPLICATION



SHOW CASE



OFFICE SHOW













CUSTOMER














EXHIBITION



CERTIFICATE



HOW TO COOPERATION



FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acceptable.

Q: What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days for order less than 5000pcs.

Q: Do you have any MOQ limit?

A:EXW MOQ is 100pcs under blank box.

Q: How do you ship the goods and how long does it take arriv e?

A:The sample will be sent to you by optional shipping service (courier s, air, and sea). The delivery time depends on the shipping service.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color a nd position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.

Q: Does alarm panel work with any sensor?

A:The alarm panel can work with all dry contact wired detectors and wireless detector, in cluding almost all

of the wireless sensors from Chinese manufacturers. The wireless encode and decode is EV1527 or our wireless sensors.