

Name	Mini type access control waterproof card reader IC card
Model	EA-93K
Power Supply	DC12C ± DC3V
Power Consumption	<1W
Type of Card	13.56MHz IC
Read Range	60mm
Cable Distance	150m
Output Format	WG26/WG34
Transmit Rate	1bit/ms
Keypad Output	4bits/8bits
Waterproof	Optional
Dimensions	96L*96W*22H(mm)
Material	PC
Environment Temp	-30 °C~65°C

# What Features of our waterproof card reader?





# **EA-93K**

Waterproof keypad IC(13.56Mhz) wiegand card reader IC(13.56Mhz) card type

Wiegand 26/34 communication(optional)
Waterproof, IP66 level


Laser carving and wear-resisting keyboard

Short-circuit and lightning protection


Tamper device

Plug type connection, easy to install 2 years warranty, welcome OEM

# **IN-KIND SHOOTING**



## **APPLICATION**



## **SHOW CASE**



## **OFFICE SHOW**













# **CUSTOMER**














# **EXHIBITION**



#### **CERTIFICATE**



#### **HOW TO COOPERATION**



# **FAQ**

#### Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acc eptable.

#### Q: What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days for order less than 5000pcs.

#### Q: Do you have any MOQ limit?

A:EXW MOQ is 100pcs under blank box.

#### Q: How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea). The delivery time depends on the shipping service.

#### Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.

#### Q: Does alarm panel work with any sensor?

A:The alarm panel

can work with all dry contact wired detectors and wireless detector, including almost all

of the wireless sensors from Chinese manufacturers. The wireless encode and decode is EV15 27 or our wireless sensors.