



Product Name:	New design standalone keypad,card system, rfid keypad		
Model:	EA-84	Working Voltage:	12VDC±10%
Working Current:	< 100mA	User Capacity:	1000
Card Type:	IC 13.56MHz or EM 125kHz	Open Mode:	card, password
Background LED:	automatic	Relay Unlock Output:	5 seconds
Tamper/Alarm Function:	closed	Public Passwords:	no
Wiegand 26 Port:	Input	Reading Distance:	1cm-15cm
Color:	Black	Working Temperature:	0°C-60°C
Relative Humidity:	20%~90%		

What Features of our door access control?



User Capacity: 1000

Background LED: automatic

Card Type: Mifare 1 13.56MHz or EM 125kHz

Reading Distance: 1cm-15cm


Open Mode: card, password

Relay Unlock Output: 5 seconds

IN-KIND SHOOTING



APPLICATION





HOME



OFFICE



FACTORY



Department



HOTEL



SCHOOL

SHOW CASE

SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



OFFICE SHOW



CUSTOMER



EXHIBITION



Trade terms:	EXW
Payment terms:	T/T, Western union, Paypal etc
Delivery time:	Normal order within 7 days, bulk order 10-15days
Packing:	Neutral paper box and paper carton
Shipping:	Express company or by sea, by air or appointed by buyer