



Parameter	
Name	OLED screen keypad wiegand reader, wiegand rfid reader,wg26 em reader
Model	EA-92DK
Dimension	96×96×22(mm)
Working voltage	12V ± 3VDC
Working power	<1w
Card type	125Khz ID
Induction distance	60mm
Cable distance	150m
Communication format	WG26/WG34
Transmitting rate	1bit/ms
Keypad output	4bit/8bit
Color	Black/White(optional)
Shell material	PC
Suit for	home office access control system
Environment temperature	-30 °C~65 °C
Net weight	0.2kg

What Features of our wiegand reader?



1. special design , with beautiful energy-saving background light , and fashionable .
2. Use imported PC material , impact resistance , heat resistance , corrosion resistance.
3. With the Ray carving technology , the numbers of the keypad are wear-resistant, hardly falling in the prolonged use.
4. Using the two WG26/WG34 communications format , it can be changed by the software .
5. European / Asian back box size design , easy to install .High security , with anti-tamper function.

IN-KIND SHOOTING



APPLICATION



SHOW CASE



OFFICE SHOW



CUSTOMER



EXHIBITION



CERTIFICATE



HOW TO COOPERATION



Trade terms:	EXW
Payment terms:	T/T, Western union, Paypal etc
Delivery time:	Normal order within 7 days, bulk order 10-15days
Packing:	Neutral paper box and paper carton
Shipping:	Express company or by sea, by air or appointed by buyer

FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acceptable.

Q: What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days for order less than 5000pcs.

Q: Do you have any MOQ limit?

A:EXW MOQ is 100pcs under blank box.

Q: How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea). The delivery time depends on the shipping service.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.

Q: Does alarm panel work with any sensor?

A:The alarm panel can work with all dry contact wired detectors and wireless detector, including almost all of the wireless sensors from Chinese manufacturers. The wireless encode and decode is EV1527 or our wireless sensors.