

Model number	EA-85T	Dimension	115x80x19.5mm
Operating voltage	9V-16V DC	Operating current	200mA
Card capacity	4294967296	Working humidity	0—95%
Working temperature	-10°—65°	Management	Offline software
Communication distance	<100m	Reading distance	40-60mm
Material	PC	Card type	13.56MHz IC card
Open mode	card		•

## what features of our EA-85T?





Simple and reliable structural design, good heat dissipation shell


Imported PC material, high temperature, strong anti-interference

Offline software centralized management of device


Safety performance is high, waterproof IP65, tamper device

With reverse current protection, lightning protection

#### **IN-KIND SHOOTING**



## **APPLICATION**



### **RELATED PRODUCT**



#### **OFFICE SHOW**













#### **CUSTOMER**











#### **EXHIBITION**



#### **CERTIFICATION**



#### **HOW TO COOPERATE**



# PACKAGING & SHIPPING

Detection+Packing+Sealing+Fnishing+International Express



















A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples areacceptable.

Q:What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days.

Q:What is your MOQ?

A:No MOQ limit.

Q:How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea), or appointed by buyer,7-15 days.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.