Product Name	One relay12v remote control switch for EM lock
Dimension	50Lx34W*17Hmm
Operating Voltage	12V
Usage	Alarm
Remote control distance	50 m
Relay	1
Frequency	315MHz/433MHz
Material	Metal
Current	<6mA
Transmitting Power	10mW

What Features of our remote control?

Antenna

Wireless module

Working status indicator light

Learing status indicator light

Learning button

Power supply indicator light

Wire port

NO COM NC +DC12V

Wiring diagram:

D1
DO
BELL
BELL
OPEN
CON
PUSH
GND
12V

WG26
Input
Output

Access control keypad

Door bell

Lock

NO
NC
COM
12V
GND
PUSH1
PUSH2
CONTROL−
CONTROL+
BATT+ Red
BATT− Black

Power supply

Backup battery

DOOR
EXIT

Door release button

This model remote controller product is widely used in Home access control system , Apartment access control system,Garage acdess control system etc .

IN-KIND SHOOTING

SHOW CASE

OFFICE SHOW

CUSTOMER

EXHIBITION

2011 Brazil Fair   2012 shen yang Fair   2013 Jinan Fair   2013 Shenzhen Fair

2012 shen yang Fair   2013 shen yang Fair   2013 Shenzhen Fair   2015 Shenzhen Fair

CERTIFICATE

HOW TO COOPERATION

Inquiry — Reply — Contact — Receive payment &Product — Testing&Packing — Delivery — Receiving

Trade terms:	EXW
Payment terms:	T/T, Western union, Paypal etc
Delivery time:	Normal order within 7 days, bulk order 10-15days
Packing:	Neutral paper box and paper carton
Shipping:	Express company or by sea, by air or appointed by buyer

FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acceptable.

Q: What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days for order

less than 5000pcs.

Q: Do you have any MOQ limit?

A:EXW MOQ is 100pcs under blank box.

Q: How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea). The deli very time depends on the shipping service.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, w e would make sampling firstly from silk print factory and take picture for your second confirm ation before mass production.

Q: Does alarm panel work with any sensor?

A:The alarm panel
can work with all dry contact wired detectors and wireless detector, including almost all

of the wireless sensors from Chinese manufacturers. The wireless encode and decode is EV15 27 or our wireless sensors.