

NEW

PRODUCT THE ARRIVAL OF THE GOODS

Appearance of the patent, Has the opposite of current protection, Import PC material, heat resistance, corrosion resistance is strong, free maintenance software, 2 years quality warranty, welcome OEM



SMQT

<https://eis.en.alibaba.com/>

search

THE INTERNATIONAL WEBSITE

Specifications

Product Name	PSTN wired & wireless alarm control panel with touch keypad
dimension	255x255x80mm
operating current	less than 70mA
received freq	433MHz or 868 MHz
alarm zones	8wired, 29wired
recording time	10-20 sec
passwords	2groups of 6 digital
material	steel box and ABS keypad
alarm mode	to the alarm center,to the telephone ,to the siren
operating votage	AC 220V
alarm current	less than 120mA
communicating format	ADMCO4+2,CID
alarm mode	by telephone,keypad
telephone numbers	6 groups
wired alarm input	NO/NC

what features of our EB-862 aalarm control panel?



Touch keypad with blue back light; LCD displays.

Supported Simplified Chinese, English, German, French, etc.

Preset up to 5 phone numbers and dial in sequence.

Total 5 groups codes; Arm\ Disarm the system by 4 ways.

2 years warranty. welcom OEM.

IN-KIND SHOOTING




HOW TO USE IT

A. Wired keypad



<div><div>Signal</div><div>Low voltage</div><div>Status</div></div>			
<div><div>1</div><div>disarm</div></div>	<div><div>2</div><div>Arm away</div></div>	<div><div>3</div><div>Arm home</div></div>	<div><div>PgUp /Emergency</div></div>
<div><div>4</div><div>Instant Arm away</div></div>	<div><div>5</div><div>Manual test</div></div>	<div><div>6</div><div>Bypass</div></div>	
<div><div>7</div><div>Instant Arm Home</div></div>	<div><div>8</div><div>Revise code</div></div>	<div><div>9</div><div>Zone indicator</div></div>	<div><div>Medical Help</div></div>
<div><div>Door or window status Delete</div></div>	<div><div>0</div></div>	<div><div>#</div><div>Program/Exit</div></div>	<div><div>ENT</div><div>Confirm</div></div>



Related Items

RELATED ITEMS



SIMILAR PRODUCT

SMQT® 深圳市铭汗科技有限公司
SHENZHEN MINGQIAN TECHNOLOGY CO.,LTD



FC CE <https://eis.en.alibaba.com>

SMQT® 深圳市铭汗科技有限公司
SHENZHEN MINGQIAN TECHNOLOGY CO.,LTD



FC CE <https://eis.en.alibaba.com>

SMQT® 深圳市铭汗科技有限公司
SHENZHEN MINGQIAN TECHNOLOGY CO.,LTD



FC CE <https://eis.en.alibaba.com>

SMQT® 深圳市铭汗科技有限公司
SHENZHEN MINGQIAN TECHNOLOGY CO.,LTD




FC CE <https://eis.en.alibaba.com>

SMQT® 深圳市铭汗科技有限公司
SHENZHEN MINGQIAN TECHNOLOGY CO.,LTD



FC CE <https://eis.en.alibaba.com>

SMQT® 深圳市铭汗科技有限公司
SHENZHEN MINGQIAN TECHNOLOGY CO.,LTD



FC CE <https://eis.en.alibaba.com>

SMQT® 深圳市铭汗科技有限公司
SHENZHEN MINGQIAN TECHNOLOGY CO.,LTD



FC CE <https://eis.en.alibaba.com>

SMQT® 深圳市铭汗科技有限公司
SHENZHEN MINGQIAN TECHNOLOGY CO.,LTD



FC CE <https://eis.en.alibaba.com>

SMQT® 深圳市铭汗科技有限公司
SHENZHEN MINGQIAN TECHNOLOGY CO.,LTD



FC CE <https://eis.en.alibaba.com>

OFFICE SHOW



CUSTOMER



EXHIBITION

2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



CERTIFICATION



HOW TO COOPERATE



PACKAGING & SHIPPING

Detection+Packing+Sealing+Finishing+International Express



Inquiry



Contract



Testing and packing



Receiving



Reply

Receive payment&Product

Delivery



FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acceptable.

Q: What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days for order less than 5000pcs.

Q: Do you have any MOQ limit?

A:EXW MOQ is 100pcs under blank box.

Q: How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea). The delivery time depends on the shipping service.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.

Q: Does alarm panel work with any sensor?

A:The alarm panel can work with all dry contact wired detectors and wireless detector, including almost all of the wireless sensors from Chinese manufacturers. The wireless encode and decode is EV1527 or our wireless sensors.