

Product Name:	reset call point,panic button,fire button
Model:	EB-115L2
Demension:	86*86*60 mm
Switching Capacity:	AC125V/ 250V 0.5A.
Switch Status:	NC output.
Proetction Flip:	avoid mis-press(optional)
Materials:	fireproof ABS
Color:	Red,Green,Yellow,Blue, White (optional) (Notice letters on front panel can be customized.)

What Features of our panic button?

1.Single pole model















2. Dual pole model



NO(Normal Open)

0e 9960




This model emergency button is widely use in fire alarm system and access control system for emergency case.

IN-KIND SHOOTING



APPLICATION



SHOW CASE



OFFICE SHOW













CUSTOMER




EXHIBITION



CERTIFICATE



HOW TO COOPERATION



FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acc eptable.

Q: What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days for order less than 5000pcs.

Q: Do you have any MOQ limit?

A:EXW MOQ is 100pcs under blank box.

Q: How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea). The deli very time depends on the shipping service.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, w e would make sampling firstly from silk print factory and take picture for your second confirm ation before mass production.

Q: Does alarm panel work with any sensor?

A:The alarm panel

can work with all dry contact wired detectors and wireless detector, including almost all

of the wireless sensors from Chinese manufacturers. The wireless encode and decode is EV15 27 or our wireless sensors.