

Door access control device with control host and IC card reader function



EA-89'S main parameter

Product Name:	Door access control device with control host and IC card reader function
Model number:	EA-86
Working voltage:	12V DC
Working current:	<100mA
Size:	117×78×22(mm)
User capacity:	1000 user
RFID card type:	IC 13.56Mhz
Card reading distance:	1~12cm
Wire port:	Lock, Door button, Door bell
Communication:	U disk
Door open mode:	Card/Password/Card+password
Keyboard:	Touch keypad
Feature:	Can working as IC card reader, connect with door access controller to use
Application:	Single door access control system

Suitable for:	Office, Apartment, hospital access control system project
Material:	Metal housing+ PCB board
Weight:	300g
Packaging:	Netural paper box and paper carton 1 pcs per box,100 boxes per carton
Working environment temperature:	0°C~60°C
Working humidity:	20%~90%
Warranty:	1 years warranty
OEM:	Welcome OEM

What features EB-86 have?

Size




Appearance



U disk communiction



Wire diagram



Where to use?




Laboratory



Archives



Indoor office



Computer room

HOW ABOUT OTHER CHOICE?

SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技

