

Specification	
Name	Small beautiful touch buton switch,door exit button,buttons for sale
Model	EA-20A,EA-20B
Dimension	A:86×56×25(mm) B:86×86×25(mm)
Input voltage	DC 12V
Standard structure	touch Plexiglass
Mechanical test	500,000 times test
Suitable range	Hollow Door
Color	Black panel, Sliver frame
Usage	Access control sysetm and doorphone system
Relative Humidity	0~95%
Environment temprature	-20 °C-50 °C
Net weight	A:0.06kg, B:0.09kg


What Features of our Exit Button?

1 Superior Design
Touch push button design simple

Touch push button design simple and beautiful, Panel using organic glass materials, touch induction to open the door, button USES the interactive design of light touch response. Internal using PC rubber production, high temperature resistant do not fade



Resistance to heat shock Organic glass touch responsive



2 Product components
500,000 times test qualified,the
relay switch power output. (NO

relay switch power output, (NO NC COM)3 lines button suitabel all Access control system

NO NC COM,3 lines

3 Strong stability
Waterproof and dustproof more
durable and strong, resistance
to high temperature shock do

not fade.



Waterproof and Dustproof Stable solid long life



APPLICATION



SHOW CASE



OFFICE SHOW













CUSTOMER














EXHIBITION



CERTIFICATE



HOW TO COOPERATION



FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acc eptable.

O: What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days for order less than 5000pcs.

Q: Do you have any MOQ limit?

A:EXW MOQ is 100pcs under blank box.

Q: How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea). The delivery time depends on the shipping service.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.

Q: Does alarm panel work with any sensor?

A:The alarm panel

can work with all dry contact wired detectors and wireless detector, including almost all

of the wireless sensors from Chinese manufacturers. The wireless encode and decode is EV15 27 or our wireless sensors.