Standalone Waterproof Metal Keypad RFID Access Controller

Specification	
Product name	Standalone Waterproof Metal Keypad RFID Access Controller
Model	EA-87B
Dimension	120×80×22(mm)
Working voltage	12V DC
Working current	<60mA
Cards capacity	2000pcs
Induction range	ID 5-8cm
Door Delay time	0~99 seconds(adjustable)
Open mode	Card/ Super password/UID+Password/card+password
Card type	EM ID card (125khz)
Output connectors	Door release button/ Door sensor/Door bell/alarm siren/ tamper
Color	Silver
Suit for	home/ office

Shell Material	stainless steel
Working temperature	-10 °C~50 °C
Net weight	0.8kg

What's the features of our Standalone Waterproof Metal Keypad RFID Access Controller?

1.Waterproof metal housing single door access control keypad

2.ID(125Khz) card type

3.User capacity 2000

4.Waterproof IP66 level

5.2 years warranty , welcome OEM

1.Low power consumption: less than 30mA standby current
2.Luminous keyboard: the night can also operate keyboard
3.User capacity: support 2,000 users
4.Independent password: can use password which irrelevant with the card to open the door
5.User modification password: Users can revise the door password
6.Search speed: charge to open the door time less than 0.1 S.

7.Output short circuit protection: electric lock or alarm output circuit within 100μS when shut
** down automatically output**
8.Wiegand output: With Wiegand output interface,WG26 card number or WG34 buttons output
9.Usable keyboard delete card number:After card is lost, usable keyboard delete card,
** Thoroughly eliminate safety lapses**
10.The demolition alarm:Illegal dismantling machine, built-in alarm sound buzzer
11.The bell button and interface: key and circuit segregation, external any the doorbell.

IN-KIND SHOOTING

D_IN Brown
DC+12V Red
GND Black
NO Blue
COM Purple
NC Orange

BELL_A Pink
BELL_A Pink
D0 Green
D1 White
ALARM Grey
OPEN Yellow

FC CE RoHS

ACCESS CONTROL

EA-87B(ID)

Standalone Keypad Access Control
User Manual

Please read the manual carefully before use this unit

D_IN Brown
DC+12V Red
GND Black
NO Blue
COM Purple
NC Orange

BELL_A Pink
BELL_A Pink
D0 Green
D1 White
ALARM Grey
OPEN Yellow

FC CE RoHS

ACCESS CONTROL

87BIC

APPLICATION

Access control keypad

Door release button

Power supply

Door bell

Signal1
Signal2
GND
12V

Electric Lock

PUSH
GND
12V
COM
NC
NO

-12V
+12V

Power supply

Tag key

Electric lock

Door release button

Access control keypad

SHOW CASES

Company Information

OFFICE SHOW

CUSTOMERS

EXHIBITION

2011 Brazil Fair   2012 shen yang Fair   2013 Jinan Fair   2013 Shenzhen Fair

2012 shen yang Fair   2013 shen yang Fair   2013 Shenzhen Fair   2015 Shenzhen Fair

CERTIFICATION

HOW TO COOPERATE

Express Delivery.....!

FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acceptable.

Q:What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days.

Q:What is your MOQ?

A:No MOQ limit.The more quantity the more discounts.

Q:How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea),or appointed by buyer,7-15 days.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.

How to contact us?
Click the enter send us inquiry below.