

| Product Name            | Waterproof infrared security beams sensor for fence |
|-------------------------|---|
| Model                   | ABT   |
| Operating voltage       | 13.8~24VDC 11~28VAC                                 |
| Operating current       | 40-65mA   |
| Indication speed        | 50~700m/sec   |
| Anti-demolition output  | NC  |
| Environment temperature | -20°C~+50°C   |
| Alarm output            | NO/NC   |
| Level adjustment        | 180°±90°  |
| Vertocal adjustment     | ±10°  |
| Color                   | Black   |
| Material                | PC resin  |

# What Features of our beam sensor?

- 1. Sealed integration structure is able to working in the hash environment.
- 2.Confronted with fog or inclement weather, the detectors will automatically regulate the sensitivity(AGC circuit).

- 3. Easily adjust and calibrate the horizontal/vertical optical angle.
- 4.Built-in integrated optical telescopes, use the professional anti-jamming jacket.
- 5. Anti-lightning circuit designed.
- 6. High-power infrared receiver on the tubes, low-power digital.

# **IN-KIND SHOOTING**
















## **APPLICATION**

















## **SHOW CASE**







# **OFFICE SHOW**













## **CUSTOMER**














## **EXHIBITION**



## **CERTIFICATE**



### **HOW TO COOPERATION**



## **FAQ**

#### Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acc eptable.

### Q: What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days for order less than 5000pcs.

### Q: Do you have any MOQ limit?

A:EXW MOQ is 100pcs under blank box.

#### Q: How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea). The delivery time depends on the shipping service.

### Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.

### Q: Does alarm panel work with any sensor?

A:The alarm panel

can work with all dry contact wired detectors and wireless detector, including almost all

of the wireless sensors from Chinese manufacturers. The wireless encode and decode is EV15 27 or our wireless sensors.