

• Parameter

SMQT

Parameter		
Name	Waterproof keypad access controller	
Model	EA-82K	
Dimension	96×96×22(mm)	
Working voltage	12V ± 3VDC	
Wroking power	<2W	
Card type	125Khz ID	
Induction distance	60mm	
Capacity of records	10000	
Capacity of user	10000	
Communication format	RS485	
Transmitting rate	9600bps(N,8,1)	
Data storage	4M bits FLASH memory	
Shell material	PC	

Color	Black/White(optional)
Suit for	Apartment, home,office etc
Environment temperature	-30 °C~65 °C
Open mode	Card/ Card +password/UID +password/Super password
Net weight	0.27kg

Introduction

SMQT





EA-82K

Access control ID(125Khz) keypad

10000 user capacity,3 ways open door mode

FLASH storage technology, data never lost

RS485 communication way, and free software

100 groups time zones regulations, free configuration user

ID(125Khz) card type

IP66 waterproof grade, with tamper device

2 years quality warranty, wlcoem OEM





Packaging & shipping

SMQT

Packaging list		
Product name	EA-82K Waterproof keypad access controller	
Qty	36 pcs per carton	
Carton size	45*32*32(cm)	
Weight	9kg	



• Office show

SMQT













• Exhibition smot

