

# Wired magnetic contact sensor

*Fireproof ABS material shell*

*NO/NC model optional*


*Brown/white color optional*

*20±5(mm) gap distance*

*Suitable wooden door or window*

*14g weight*

**SMQT®**



## • Parameter

**SMQT®**

Dimensions	41L * 34W * 6.5H (mm)
Connection	NC / NO
Operating distance	20 ± 5 (mm)
Maximum durability	≤100VDC
Load current	≤500mA
Working Power	≤10W
Housing Material	ABS fireproof material shape
Colour	Brown / White
Scope	Non-ferrous door or window
product weight	14g

## • Introduction

**SMQT®**

The electronic door magnetic sensor switch is the magnetic detector switch and magnetic window contact switch 12v for access control system and alarm system.

# PRODUCT PICTURE



## PRODUCT FEATURE



*Dimension: 34×41×6.5(mm)*

*NO/NC mode optional*

*20±5(mm) distance gap*

*MAX voltage ≤ 100VDC, MAX current ≤ 500mA*

*Fireproof ABS material shell*

*White/Brown color optional*

*Suitable for wooden door or window*

*14g weight*

*2 years quality warranty, welcome OEM*





## ● Exhibition

SMQT

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....

2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

