

STROBE LIGHT

Fireproof ABS housing,DC 12V Power supply, 68t/m strobe speed, color(red/blue/green/orange optional).

SMQT





• Parameter

SMQT

Parameter	
Product name	Wired electric strobe light from alarm strobe light manufacturer
Model	EB-169
Dimension	73ø ×44 (mm)
Working power	12V DC
Operating current	200mA
Contact output	NO/NC
Strobe Speed	68t/m
Color	Red/Bule/Green/Orange(optional)
Suitable for	Fire alarm , Home security
Materials	fireproof ABS hosing
Weight	0.01kg

• Introduction

SMQT



• *Feature*

SMQT



Strobe Alarming light

- 1.Suitable for higher-end stroboscopic system model.
- 2.Chimney texture design improves the light diffusion effect.
- 3.Flash 90 times per minute.
- 4.The high-quality LED light.
- 5.IP44 protection grade.
- 6.AS+ABS shell.

LED guide plate

Select high-quality materials, strict quality control, production of exquisite workmanship. This assures the mixer durable products.



Combination of fixed base plate

Base plate is divided into two pieces, shape material are exactly the same.

Also can use double post stent paste on the wall.

Strobe indicator light

LED lights, flash frequency up to 90 times a minute.



• Packaging & shipping

SMQT®

Packaging list	
Product name	EB-169 Wired electric strobe light from alarm strobe light manufacturer
Qty	100 pcs per carton
Carton size	39*30*36(cm)
Weight	11kg



• Office show

SMQT®



2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



.....