

# Wired metal magneict contact sensor

*NO/NC code mode optional*

*50±10(mm) gap distance*

*Max voltage ≤100VDC, Max current≤500mA*


*Alloy-zn material*

*Suitable for metal door or window*

*Grey color*

*Weight : A:150g B:100g C:50g*

**SMQT®**



Product Name:	Wired metal door sensor, magnetic contact,door alarm
Dimension:	49*25*15mm
Operating Voltage:	12V DC (one 23A battery)
Battery Life:	2-3year
MAX Current:	≤500mA
MAX Voltage:	≤100VDC
MAX Rating	≤10W
Code Mode:	NO/NC
Material:	A, alloy-zn/B, alloy-al
Colour:	Gray
Suit for:	shutter door
Weight:	162g

**What Features of our door contact?**

# PRODUCT FEATURE



EA-138A

EA-138B

EA-138C

Wired metal magnetic contact sensor

NO/NC code mode optional

50±10 gap distance

Max voltage:≤100V DC, Max current≤500mA

Max rating≤10W

Alloy-Zn material


Suitable for metal door or window

Weight: A:150g B:100g C:50g

Welcome OEM, 2 years quality warranty

## IN-KIND SHOOTING

# PRODUCT PICTURE



## **SHOW CASE**

# SIMILAR PRODUCT



OFFICE SHOW





## CUSTOMER



## EXHIBITION



## CERTIFICATE



## HOW TO COOPERATION



<b>Trade terms:</b>	<b>EXW</b>
<b>Payment terms:</b>	<b>T/T, Western union, Paypal etc</b>
<b>Delivery time:</b>	<b>Normal order within 7 days, bulk order 10-15days</b>
<b>Packing:</b>	<b>Neutral paper box and paper carton</b>
<b>Shipping:</b>	<b>Express company or by sea, by air or appointed by buyer</b>

## FAQ

### Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acceptable.

### Q: What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days for order less than 5000pcs.

### Q: Do you have any MOQ limit?



**A:**EXW MOQ is 100pcs under blank box.

**Q: How do you ship the goods and how long does it take arrive?**

**A:**The sample will be sent to you by optional shipping service (couriers, air, and sea). The delivery time depends on the shipping service.

**Q:How will we proceed the order if I have logo to print?**

**A:**Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.

**Q: Does alarm panel work with any sensor?**

**A:**The alarm panel can work with all dry contact wired detectors and wireless detector, including almost all of the wireless sensors from Chinese manufacturers. The wireless encode and decode is EV1527 or our wireless sensors.