

Name	Wireless PIR motion sensor EB-194 PIR detector for alarm system		
Model	EB-194		
Size	109*60*42(mm)		
Working voltage	9V 6F22battery		
Standby current	≤20uA		
Alarm current	≤30mA		
Detecting angle	110°(curtain15°)		
Working temperature	-20°C~50°C		
Detecting area	12m(curtain 8m)		
Installation Way	Wall hanging		
Install Height	2.2m		
Wireless frequency	433Mhz/315Mhz(1527)(optional)		
Wireless transmission distance	Max 100m(in open air)		
Alarm indicator	Red LED Light		
Operating humidity	95%		
Storage temperature	-10°C~60°C		
Color	White		
Weight	0.15kg		

(Warranty:2 years; Package: blank package, OEM,300 PCS/CTN, Shipment ways:sea,air,express.Payment ways: T/T,Paypal,Western union.)

What Features of our PIR detector?




- 1. Wireless PIR motion detector
- 2. Wireless frequency 433Mhz/315Mhz(optional)
- 3.12m detecting distance
- 4. 9V 6F22 battery power supply
- 5.2 years warranty , welcome OEM

IN-KIND SHOOTING





APPLICATION

For home security alarm system useage.



Detecting area diagram:





SHOW CASE



OFFICE SHOW













CUSTOMER














EXHIBITION



CERTIFICATE



HOW TO COOPERATION



FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acc eptable.

Q: What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days for order less than 5000pcs.

Q: Do you have any MOQ limit?

A:EXW MOQ is 100pcs under blank box.

Q: How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea). The delivery time depends on the shipping service.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.

Q: Does alarm panel work with any sensor?

A:The alarm panel

can work with all dry contact wired detectors and wireless detector, including almost all

of the wireless sensors from Chinese manufacturers. The wireless encode and decode is EV15 27 or our wireless sensors.