


Specification	
Product name	Wireless pet immune PIR motion sensoir for home alarm system
Model	EB-192
Size	120*62*46(mm)
Working voltage	3V DC (2 AA alkaline battery)
Standby current	≤10uA
Alarm current	≤11mA
Detecting angle	110°
Working temperature	-20°C~50°C
Detecting area	Max 12*12(m)
Install Height	2.2m
Wireless frequency	433Mhz/868Mhz(1527)(optional)
Wireless transmission distance	Max 100m(in open air)
Alarm indicator	Red LED Light
Operating humidity	95%
Storage temperature	-10°C~60°C

Color	White
Weight	0.15kg

What Features of our pir sensor?



RFID

IN-KIND SHOOTING



APPLICATION



door sensor alarm strobe light on

smoke detector alarm strobe light on

SHOW CASE



OFFICE SHOW







1





CUSTOMER






EXHIBITION



CERTIFICATE



HOW TO COOPERATION



FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acc eptable.

Q: What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days for order less than 5000pcs.

Q: Do you have any MOQ limit?

A:EXW MOQ is 100pcs under blank box.

Q: How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea). The deli very time depends on the shipping service.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, w e would make sampling firstly from silk print factory and take picture for your second confirm ation before mass production.

Q: Does alarm panel work with any sensor?

A:The alarm panel can work with all dry contact wired detectors and wireless detector, including almost all

of the wireless sensors from Chinese manufacturers. The wireless encode and decode is EV15 27 or our wireless sensors.