

battery operated wireless gas detector with LED indication	
Operating voltage:	AC 110V/220V
Dimension:	115x70x40(mm)
Transmitting distance:	≤100m(in open area)
Wireless frequency:	433/315MHz
Alarm volume:	≥90db
Alarm density:	0.1% to $0.5%$ (coal gas ,petroleum gas), $0.1%$ to $0.3%$ (natural gas), $0.1%$ to
Coding type:	Fixed code
Coding Type:Fixed Code Operating Temp:	-10°C~+50°C
Humidity:	less than 97%Shell
Colour:	White

What features of our EB-120 gas detector?



- 1. Wireless & standalone gas detector
- 2.As home alarm system accessories or standalone use
- 3. Plug standard GB/US/EU optional
- 4. Welcome to OEM & 2 years warrenty

IN-KIND SHOOTING



OFFICE SHOW













CUSTOMER













EXHIBITION



CERTIFICATION



HOW TO COOPERATE



PACKAGING & SHIPPING

Detection+Packing+Sealing+Fnishing+International Express



















FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acc eptable.

Q: What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days for order less than 5000pcs.

Q: Do you have any MOQ limit?

A:EXW MOQ is 100pcs under blank box.

Q: How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea). The delivery time depends on the shipping service.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.