

Product Name	break glass fire emergency button for security alarm
Dimension	86*86*50mm
Material	Fireproof ABS
Max Voltage	DC30V
Max Current	3A
Output contact	NO/NC/COM
Color	Red/ Green/White/Yellow
Suit for	Exit door , emergency door
Aptional accessories	Plastic cover
Operating temp	10°C~+55°C(14-131F)
Operating Humidity	0-95% (non- condensing)

what features of our EB-116 fire emergency button?

1.Emergency break galss call point button

2.Max Voltage DC30V,Max Current 3A

3.Output Contact NC/NO/COM

4.Red, Green, White, Yellow, Blue color optional

5.Suitable for Exit Door, Emergence Door etc

6.2 years warranty , welcome OEM

IN-KIND SHOOTING

FIRE
Emergency Break Glass
PRESS HERE
PRESS HERE

EMERGENCY
RELEASE
Emergency Break Glass
PRESS HERE
PRESS HERE




EMERGENCY
DOOR RELEASE
Emergency Break Glass
PRESS HERE
PRESS HERE

EMERGENCY
RELEASE
Emergency Break Glass
PRESS HERE
PRESS HERE

SIMILAR PRODUCT

OFFICE SHOW



CUSTOMER

EXHIBITION

CERTIFICATION

HOW TO COOPERATE

PACKAGING & SHIPPING

Detection+Packing+Sealing+Fnishing+Interna-tional Express



FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acceptable.

Q: What is the lead time?
A:Sample needs 1-3 working days, mass production time needs 10-15 working days for order less than 5000pcs.

Q: Do you have any MOQ limit?
A:EXW MOQ is 100pcs under blank box.

Q: How do you ship the goods and how long does it take arrive?
A:The sample will be sent to you by optional shipping service (couriers, air, and sea). The delivery time depends on the shipping service.

Q:How will we proceed the order if I have logo to print?
A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.