

what details of our EA-93DK smart card reader?

1.Specifications

Model	EA-93 EA-93K EA-93DK	EA-92 EA-92K EA-92DK
Power Supply	$DC12C \pm DC3V$	$DC12C \pm DC3V$
Power Consumption	<1W	<1W
Type of Card	13.56MHz IC	125KHz EM
Read Range	60mm	Max 90mm
Cable Distance	150m	150m
Output Format	WG26/WG34	WG26/WG34
Transmit Rate	1bit/ms	1bit/ms
Keypad Output	4bits/8bits	4bits/8bits
Waterproof	Optional	Optional
Dimensions	96L*96W*22H(mm)	96L*96W*22H(mm)
Material	PC	PC
Environment Temp	-30 °C~65°C	-30 °C~65°C

2. Features:

- 1). Special designs, beautiful energy-saving background light
- 2). Use imported PC material, impact resistance, heat resistance, strong rot resistance
- 3). Using advanced FLASH storage technology, it can save the information for ten years even if the power is off.
- 4). With 100 sets of control time zones ,it can control when and how to open the door (just set up in the software)

IN-KIND SHOOING



APPLICATION



MORE OTHER CHOICES



OFFICE SHOW













CUSTOMER













EXHIBITION



CERTIFICATION



HOW TO COOPERATE



PACKAGING & SHIPPING

Detection+Packing+Sealing+Fnishing+International Express



















FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples areacceptable.

O:What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days.

Q:What is your MOQ?

A:No MOQ limit, the more quantity the more discounts.

Q:How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea),or appointed by buyer,7-15 days.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your

second confirmation before mass production.