

Proudct Name	door release push button switch access control system	aluminum for
standard Structure	Aluminmum Panel, Steel Button	
Current	3A 36VDC Max	
Output Contact	NO\NC\COM	
Mechanical Life	500000 tested	
Dimensions	86L*50W*20Hmm	
Operating temp	10-55(14-131F)	
Operating Humidity	0-95%	
Weight	160g	

what features of our EA-22A/B?



EA-22A



EA-22B





EA-22A

EA-22B

Advantages

Aluminum panel with the sand blast treatment


Pure copper plating nickel button

500,000 times mechanical test

IN-KIND SHOOTING



APPLICATION



SIMILAR PRODUCT



OFFICE SHOW







10





CUSTOMER



EXHIBITION



CERTIFICATION



HOW TO COOPERATE

PACKAGING & SHIPPING

Detection+Packing+Sealing+Fnishing+International Express







FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for guality test. Mixed samples are acceptable.

Q:What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days.

Q:What is your MOQ?

A:No MOQ limit.The more quantity the more discounts. Q:How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea), or appointed by buyer, 7-15 days.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.