

Contact output	NO/NC
Operating Current	600mA-1200mA
Operating Voltage	DC12V
Sound Pressure	120dB
suitable for	Fire alarm, access control
Material	fireproof ABS housing

What Features of our siren?



- 1. Waterproof Electric alarm Siren
- 2. ABS engineering plastics, Alarm sounds great, Ratating stents, Wide applicability.
- 3. 120db sound pressure,2 tones,12v DC Power supply,Suitable for alarm system.
- 4. Fireproof ABS hosing, with waterproof IP66
- **5.** CE certificate, provide 2 years warranty, welcome for OEM.

IN-KIND SHOOTING



SHOW CASE



OFFICE SHOW













CUSTOMER













EXHIBITION



CERTIFICATE



HOW TO COOPERATE



PACKAGING & SHIPPING

Detection+Packing+Sealing+Fnishing+International Express




















FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acc eptable.

Q: What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days for order less than 5000pcs.

Q: Do you have any MOQ limit?

A:EXW MOQ is 100pcs under blank box.

Q: How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea). The delivery time depends on the shipping service.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.