



**What Features of our beam sensor ABT?**




1. Integrated structure designed to be able to work in harsh environment. Anti-lightning circuit design.
2. When confronted with fog or inclement weather, the detector will automatically increase the sensitivity (AGC circuit).
3. Built-in integration of optical telescopes, use the professional anti-jamming optical jacket.
4. High Power Infrared receiver on the tube, Low-power digital. Horizontal/vertical Optical angle easy to adjust, easy to calibrate.
5. Warranty for 2 years. welcome for OEM/ODM.

## IN-KIND SHOOTING



## APPLICATION



## SHOW CASE





OFFICE SHOW



## CUSTOMER



## EXHIBITION

2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



## CERTIFICATE





## HOW TO COOPERATION



<b>Trade terms:</b>	<b>EXW</b>
<b>Payment terms:</b>	<b>T/T, Western union, Paypal etc</b>
<b>Delivery time:</b>	<b>Normal order within 7 days, bulk order 10-15days</b>
<b>Packing:</b>	<b>Neutral paper box and paper carton</b>
<b>Shipping:</b>	<b>Express company or by sea, by air or appointed by buyer</b>

## FAQ

**Q:Can I have a sample order?**

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acceptable.

**Q: What is the lead time?**

A:Sample needs 1-3 working days, mass production time needs 10-15 working days for order less than 5000pcs.

**Q: Do you have any MOQ limit?**

A:EXW MOQ is 100pcs under blank box.

**Q: How do you ship the goods and how long does it take arrive?**

A:The sample will be sent to you by optional shipping service (couriers, air, and sea). The delivery time depends on the shipping service.

**Q:How will we proceed the order if I have logo to print?**

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.

**Q: Does alarm panel work with any sensor?**

A:The alarm panel can work with all dry contact wired detectors and wireless detector, including almost all of the wireless sensors from Chinese manufacturers. The wireless encode and decode is EV1527 or our wireless sensors.