



Product Name	Alloy-al materail magnetic door contact switch for shutter door
Dimension	106*16*16mm
Net weight(g)	180
MAX Current	500mA
MAX Voltage	≤100VDC
Material	A.alloy-zn B.ABS
Working distance(mm)	50±10
Contact mode	NO/NC
Material	fireproof ABS housing
Suit for	wooden door or window

**what features of our EB-137A/B?**



1.Shutter door alloy magnetic contact sensor

2.Wired and wireless model optional

3.NO/NC mode optional(NO need OEM)

4.60±10mm trigger distance

5.2 years warranty , welcome OEM

## IN-KIND SHOOTING



## APPLICATION




EB-137A



EB-137B



EB-137C



## MORE OTHER CHOICES



## OFFICE SHOW





## CUSTOMER



## EXHIBITION

2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



## CERTIFICATION



## HOW TO COOPERATE



## PACKAGING & SHIPPING

Detection+Packing+Sealing+Finishing+International Express



Inquiry



Contract



Testing and packing



Receiving



Reply

Receive payment&Product

Delivery





## FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acceptable.

Q:What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days.

Q:What is your MOQ?

A:No MOQ limit, the more quantity the more discounts.

Q:How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea),or appointed by buyer,7-15 days.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.