



Product Name	Red/ Green auto-reset fire manual call point for fire alarm
Dimension	86*86*50m
Material	Fireproof ABS
Working Voltage	DC30V
Working Current	2A
Color	Red/ Green
Suit for	Exit door , emergency door
Aptional accessories	Plastic cover
Operating temp	10°C~+55°C(14-131F)
Operating Humidity	0-95% (non- condensing)

what features of our EB-115 manual call point?



1.Key reset emergency call point button

2.Max voltage DC 30V,Max current 2A

3.Single pole/Dual pole optional

4.Red/Green color optional(other color accpet OEM)

5.Suitable for fire alarm system and access control system

6.2 years warranty , welcome OEM


IN-KIND SHOOTING




1.Single pole model




Circuit model:



2. Dual pole model



Circuit model:



This model emergency button is widely use in fire alarm system and access control system for emergency case.

MORE OTHER CHOICE

SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



OFFICE SHOW



CUSTOMER



EXHIBITION

2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

CERTIFICATION



PACKAGING & SHIPPING

Detection+Packing+Sealing+Finishing+International Express



Inquiry



Contract



Testing and packing



Receiving



Reply

Receive payment&Product

Delivery



FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acceptable.

Q: What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days for order less than 5000pcs.

Q: Do you have any MOQ limit?

A:EXW MOQ is 100pcs under blank box.

Q: How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea). The delivery time depends on the shipping service.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.

Q: Does alarm panel work with any sensor?

A:The alarm panel can work with all dry contact wired detectors and wireless detector, including almost all of the wireless sensors from Chinese manufacturers. The wireless encode and decode is EV1527 or our wireless sensors.