



Product Name	wired door magneti contact NO/NC EB-131
Dimension	64*19*13mm
Operating Voltage	12V DC (one 23A battery)
Battery Life	2-3year
MAX Current	≤500mA
MAX Voltage	≤100VDC
MAX Rating	≤10W
Send Distance	200m (in the open air)
Code Mode	NO/NC
Material	fireproof ABS housing
Gap	20±5mm
Suit for	wooden door or window
Weight	24g

what features of our EA-131?



1. Wired door magnetic contact


2.NO/NC code mode

3. Small size: 64x19x13(mm)


4.Fireproof ABS housing

5.Suit for wooden door or window

IN-KIND SHOOTING



APPLICATION



SIMILAR PRODUCT



OFFICE SHOW



CUSTOMER



EXHIBITION



CERTIFICATION



HOW TO COOPERATE



PACKAGING & SHIPPING

Detection+Packing+Sealing+Finishing+International Express



Inquiry



Contract



Testing and packing



Receiving



Reply

Receive payment&Product

Delivery



FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acceptable.

Q:What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days.

Q:What is your MOQ?

A:No MOQ limit.The more quantity the more discounts.

Q:How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea),or appointed by buyer,7-15 days.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.