






Nome do Produto:	9-35v 4 detector de fumaça de incêndio com fio para painel de incêndio e sistema de alarme
Número do modelo:	EB-117B
Fonte de energia:	DC 9 ~ 35V
Porta de fio:	4 portas (entrada de energia +, entrada de energia, saída de relé (COM), saída de relé (NO ou NC)
Tamanho:	100 diâmetro * 60 (mm)
Área de detecção:	20 metros quadrados
Indicação de alarme	LED vermelho aceso
Adequado para:	Sistema do painel de alarme de incêndio
Forma de instalação:	Montado no teto
Temperatura de trabalho:	-10 Graus Celsius ~ +50 Graus Celsius
Umidade de trabalho:	0 ~ 90% RH (sem condensação)
Peso:	0,18 kg
CONDUZIU:	2 luz LED
Material:	Carcaça ABS + placa PCB
Cor da carcaça:	Branco
OEM:	Bem-vindo OEM


Quais características do nosso detector de fumaça?



4 wire detectors wiring diagram



PCB board display



Where to installation?



Mall




Library




Bank

IN-KIND SHOOTING



APLICAÇÃO



MOSTRUÁRIO

SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技




SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



OFFICE SHOW



CLIENTE



EXIBIÇÃO



Trade terms:	EXW
Payment terms:	T/T, Western union, Paypal etc
Delivery time:	Normal order within 7 days, bulk order 10-15days
Packing:	Neutral paper box and paper carton
Shipping:	Express company or by sea, by air or appointed by buyer