

## Plastic door release button

*Fireproof ABS panel*

*100000 times mechanical test*

*Suitable access control system*

*Bottom case is optional*

*3 appearance model optional*

**SMQT**



### • Parameter

**SMQT**

Spcification	
Nome do Produto	Botão de liberação da porta de plástico
Modelo	EA-26A / B / C
Dimensões A	86 * 86 * 20 (mm)
Dimensões B	86 * 86 * 20 (mm)
Dimensões C	86 * 86 * 30 (mm)
Estrutura padrão	Materiais ignífugos resina mista
Desempenho elétrico	Durabilidade máxima atual 3A36VDC
Teste de durabilidade	Cem mil vezes envelhecidas testadas
Para Tipo	Molduras oca aplicáveis e caixa elétrica submersa
Processamento do Painel	Tratamento de superfície nua à prova de fogo

### • Introduction

**SMQT**

O interruptor de botão de saída de controle de acesso de porta com material plástico ABS e trabalhar com o sistema de controle de acesso.





**EA-26A**



**EA-26B**



**EA-26C**

*Plastic Door release button*


*Fireproof ABS plastic panel*

*Passed 100000 times mechanical test*

*Suitable for access control system*

*Embedded bottom box is optional*

*2 years warranty, welcome OEM*



Switch power supply



Converter  
(RS232 to RS485)



Door release  
button EA-26



Standalone  
controller



PC

• *Packaging & shipping*

SMQT®



● *Office show*

SMQT®



● *Exhibition*

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair