• Parameter

SMQT

Nome do Produto	Botão de interruptor de porta de indução infravermelho
Modelo	EA-21A / EA-21B
Dimensão	EA-21A: 85 x 52 x 25 (mm) EA-21B: 86 x 86 x 39 (mm)
Tensão de entrada	DC 12V
Ângulo de indução	& Lt; 115ï¿½
Capacidade de potência	& Lt; 4W
Distância de indução	10 ~ 20 cm
saída de contato	NO / NC / COM
Teste mecânico	500.000 vezes teste
Gama adequada	Sistema de controle de acesso
Cor	Cinza / preto
Uso	Sistema de controle de acesso e sistema de interfone
Humidade relativa	0 a 95%
Temperatura ambiente	-20 ℃ -50 ℃
Peso líquido	EA-21A: 0,046 kg EA-21B: 0,106 kg

• Introduction

SMQT

Botão de saída de controle de acesso incluído botão de

pressão, interruptor de botão de toque, botão de porta infravermelho usado para sair e entrada.

EA-21A

EA-21B

No touch infrared induction door release button

500000 times mechanical test

LED back light indication

Stainless steel panel,wire drawing finished

Welcome OEM&ODM

•*Installation*

SMQT



•*Packaging & shipping*

SMQT

• *Office show*

SMQT

• *Exhibition*

SMQT

2011 Brazil Fair
2012 Shenyang Fair
2013 Jinan Fair
2013 Shenzhen Fair
共赢
.....
2012 Shenyang Fair
2013 Shenyang Fair
2013 Shenzhen Fair
2015 Shenzhen Fair