

Nome do Produto	Botão de interruptor de porta de indução infravermelho
Modelo	EA-21A / EA-21B
Dimensão	EA-21A: 85 x 52 x 25 (mm) EA-21B: 86 x 86 x 39 (mm)
Tensão de entrada	DC 12V
Ângulo de indução	& Lt; 115iç½
Capacidade de potência	& Lt; 4W
Distância de indução	10 ~ 20 cm
saída de contato	NO / NC / COM
Teste mecânico	500.000 vezes teste
Gama adequada	Sistema de controle de acesso
Cor	Cinza / preto
Uso	Sistema de controle de acesso e sistema de interfone
Humidade relativa	0 a 95%
Temperatura ambiente	-20 °C -50 °C
Peso líquido	EA-21A: 0,046 kg EA-21B: 0,106 kg



Botão de saída de controle de acesso incluído botão de

pressão, interruptor de botão de toque, botão de porta infravermelho usado para sair e entrada.

• *Feature*

SMQT



EA-21A



EA-21B



No touch infrared induction door release button

500000 times mechanical test


LED back light indication

Stainless steel panel,wire drawing finished

Welcome OEM&ODM

• Installation

SMQT®



• Packaging & shipping

SMQT®



● *Office show*

SMQT®



● *Exhibition*

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair