

Emergency button with key

Stainless steel panel with key


Waterproof, unduplicate key

100000 times mechanical test

Suitable for access control system

Concealing box is optional

SMQT



• Parameter

SMQT

Parâmetro	
Nome do Produto	Botão de abertura da porta
Modelo	EA-25
Dimensão	88 × 88 x 20 (mm)
Padrão Estrutura	Painel de aço inoxidável com chave
Classificação atual	3A 36V DC Max
Saída de contato	NC / COM
Teste mecânico	100.000 vezes teste
Opcional Acessórios	Caixa de ocultar
Gama adequada	Porta aberta
Cor	Cinza prateado
Tipo seguro	Impermeável, Defesa para Duplicar a chave
Uso	Sistema de controle de acesso E sistema de interfone
Humidade relativa	0 ~ 95%
Meio Ambiente temperatura	-20 °C -55 °C
Material do painel	Painel de aço inoxidável, Desenho de arame terminado
Peso líquido	0,16 kg

• In-kind shooting

SMQT



• *Feature*

SMQT®



***Stainless Emergency
Door Release Button
EA-25***

**LED light indicator
Waterproof appearance and Durable
Anti-duplicated keys**

**Stainless steel panel, wire
drawing oil processing.**



• *Packaging & shipping*

SMQT®

Lista de embalagens	
Nome do Produto	EA-25 Botão de abertura da porta
Quantidade	100 unidades por caixa
Tamanho do cartão	47 * 37 * 29 (cm)
Peso	17kg



• *Office show*

SMQT®



● *Exhibition*

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

.....