

# Touch door release button

LED light indication

Touch iduction

Plexiglass panel

2 sizes optional

500000 times mechanical test.

**SMQT**



## • Parameter

**SMQT**

Parâmetro	
Nome do Produto	botão do interruptor do diodo emissor de luz da porta traseira
Modelo	EA-20
Dimensão	Modelo A: 86 × 56 × 25 (mm)    Modelo B: 86 × 86 × 25
tensão de entrada	DC 12V
estrutura padrão	tocar Plexiglass
ensaio mecânico	500.000 vezes teste
gama adequada	Porta oca
Cor	Painel preto, quadro Sliver
Uso	sysetm controle de acesso e porteiro sistema
Humidade relativa	0 ~ 95%
temprature ambiente	-20 °C -50 °C
Peso líquido	Modelo A: 0,06 kg Modelo B: 0,09 kg

## • Introduction

**SMQT**







*EA-20A*




*EA-20B*

## 1 Superior Design

Touch push button design simple and beautiful, Panel using organic glass materials, touch induction to open the door, button USES the interactive design of light touch response. Internal using PC rubber production, high temperature resistant do not fade

Resistance to heat shock Organic glass touch responsive



## 2 Product components

500,000 times test qualified, the relay switch power output, (NO NC COM)3 lines button suitable for all Access control system

NO NC COM, 3 lines

## 3 Strong stability

Waterproof and dustproof more durable and strong, resistance to high temperature shock do not fade.

Waterproof and Dustproof Stable solid long life



## • Application

SMQT®



### Switch Power Supply



## • Packaging & shipping

SMQT®

lista de embalagem	
Nome do Produto	EA-20 botão do interruptor do diodo emissor de luz da porta traseira
Qtde	100 unidades por embalagem
tamanho da caixa	37 * 30 * 29 (cm)
Peso	12 kg



WE LOGISTICS



## • Office show

SMQT



## • Exhibition

SMQT

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



.....