

Converter RS232 to RS485

Compatible with RS-232,RS-485/RS-422 standard of EIA/TIA

RS-232 interface, DB9(holes)

RS-422/RS-485 interface,DB9(pin) with 6 terminals

300-115.2kbps transmission speed


Twisted-pair cables as transmission medium

With protection of $\pm 15\text{KVESD}$,RS-422/RS-485 of 600W lightning strike and surge power of each line.

3500VRMS isolation

500VDC isolation voltage

SMQT



• Parameter

SMQT

Tamanho do produto	90L * 65W * 25,5H (mm)
Fonte de alimentação externa	DC9V
Recursos de interface	Interface compatível com EIA / TIA RS-232C, padrão RS-485 / RS-422
Interface Elétrica	Interface RS-232C Conector fêmea fêmea DB9, interface RS-422 / RS-485 Conector fêmea DB9 e está equipado com seis terminais
Taxa de transmissão	300-115.2KBPS
Indicação do sinal	Três luzes de sinal TXD RXD POWER
Transmissão média	Fio blindado de par trançado
Aula de proteção	Interface RS-232 $\pm 15\text{KVESD}$ de proteção, interface RS-422 / RS-485 para 600W por linha proteção contra surto de raios
Isolamento	3500VRMS
Tensão de isolamento	500VDC contínuo
Meio Ambiente	5% a 95%
Temperatura de operação	0 °C ~ 50 °C

• Introduction

SMQT

O conversor de controle de acesso de porta é 2 fios rs485 rs422 ethernet conversor E conversor dc para casa.



• *Feature*

SMQT



Converter RS232 to RS485

Interface compatible with EIA / TIA RS-232C,
RS-485 / RS-422 standard

Electrical Interface:

RS-232C interface DB9 female connector port,
RS-422/485 Interface DB9 female connector

Transmission medium: shielded twisted pair wire

300-115.2KBPS transmission rate

Lightning surge protection

Working Humidity: 5%~95%


Environment temperature: 0 °C ~ 50 °C

Net weight: 0.62kg

Welcome OEM and 2 years quality warranty

• *Installation*

SMQT



• Show case

SMQT®



• Packaging & shipping

SMQT®



• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair