



Nome do Produto:	Novo teclado autônomo de design, sistema de cartão, teclado rfid		
Modelo:	EA-84	Tensão de trabalho:	12VDC ± 10%
Atuando atual:	& lt; 100mA	Capacidade do usuário:	1000
Tipo de carta:	IC 13.56MHz ou EM 125kHz	Modo aberto:	cartão, senha
LED de fundo:	automático	Saída de desbloqueio de relé:	5 segundos
Tamper / função de alarme:	fechadas	Senhas públicas:	não
Wiegand 26 Port:	Entrada	Distância de leitura:	1cm-15cm
Cor:	Preto	Temperatura de trabalho:	0 °C -60 °C
Humidade relativa:	20% ~ 90%		

Quais são as características do nosso controle de acesso da porta?



User Capacity: 1000

Background LED: automatic

Card Type: Mifare 1 13.56MHz or EM 125kHz

Reading Distance: 1cm-15cm


Open Mode: card, password

Relay Unlock Output: 5 seconds

TIRO IN-KIND



APLICAÇÃO





HOME



OFFICE



FACTORY



Department



HOTEL



SCHOOL

MOSTRUÁRIO

SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SHOW DO ESCRITÓRIO



CLIENTE



EXIBIÇÃO



CERTIFICADO



COMO COOPERAÇÃO



Trade terms:	EXW
Payment terms:	T/T, Western union, Paypal etc
Delivery time:	Normal order within 7 days, bulk order 10-15days
Packing:	Neutral paper box and paper carton
Shipping:	Express company or by sea, by air or appointed by buyer