

• *Parameter*

SMQT

Dimensões	224L * 224W * 83H (mm)
A tensão de saída	DC12V
Corrente de saída	5A
Potência de saída	60W
Atraso	0 ~ 10s
Especialmente concebido	Vidro de dois painéis, transformador de cobre, concha de aço
função de segurança	Proteção contra curto-circuito, proteção contra descarga de carga
Escopo	Controle de acesso, construção de sistema de intercomunicação
Pode ser acessado pela bateria de backup	12V 7AH

• *Introduction*

SMQT



Impermeável fonte de alimentação ininterrupta (ups) é variável 12v fornecimento de energia china feita e usada com o acesso de portas sistema de controle e sistema de alarme.

•Dimension

SMQT



•Feature

SMQT



Access control switch power supply

AC 220V input,DC 12V 5A output

0~10s time relay(adjustable)

Short circuit protection, charge protection


*Double face PC board, pure copper
transformer,steel shell*

*Suitable for access control and
doorphone system*

12v 7Ah backup battery optional

Welcome OEM and order sample test

2 years quality warranty



• Packaging & shipping

SMQT



• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....

2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



How to cooperation

SMQT



Trade terms:	EXW
Payment terms:	T/T, Western union, Paypal etc
Delivery time:	Normal order within 7 days, bulk order 10-15days
Packing:	Neutral paper box and paper carton
Shipping:	Express company or by sea, by air or appointed by buyer