

Wired magnetic contact sensor

Fireproof ABS material shell

NO/NC model optional

Brown/white color optional

20±5(mm) gap distance

Suitable wooden door or window

14g weight

SMQT



Nome do Produto	Com fio NO / NC sensor de porta de contato magnético para janela / porta de madeira
Modelo	EB-132
Dimensão	34 * 41 * 6.5mm
Modo de código	NO / NC (opcional)
Gap	20 ± 5 (mm)
Tensão máxima	≤100V DC
Corrente máxima	≤500mA
Classificação máxima	≤10W
Cor	Marrom / Branco (opcional)
Adequado para	porta de madeira ou janela
Material	Carcaça ABS à prova de fogo
Temperatura de trabalho	-10 °C ~ 50 °C
Peso líquido	14g

Quais características do nosso sensor de porta?

PRODUCT FEATURE



EB-132

Dimension:34×41×6.5(mm)

NO/NC mode optional

20±5(mm) distance gap

MAX voltage≤100VDC,MAX current≤500mA

Fireproof ABS material shell

White/Brown color optional

Suitable for wooden door or window

14g weight

2 years quality warranty,welcoem OEM

IN-KIND SHOOTING

PRODUCT PICTURE



MOSTRUÁRIO



OFFICE SHOW



CLIENTE



EXIBIÇÃO



CERTIFICADO



COMO COOPERAÇÃO



Trade terms:	EXW
Payment terms:	T/T, Western union, Paypal etc
Delivery time:	Normal order within 7 days, bulk order 10-15days
Packing:	Neutral paper box and paper carton
Shipping:	Express company or by sea, by air or appointed by buyer