Parameter

SMQT

Parâmetro	
Nome do Produto	Alarme porta sem fio Sensor para alarme residencial
Modelo	EB-130
Dimensão	71 × 36 × 15 (mm) 63 × 14 × 14 (mm)
lacuna	40 ± 5mm
Tensão operacional	Alcalina 12V bateria
Tempo de trabalho da bateria	≤1 anos
Sem fio freqüência	315Mhz / 433Mhz (opcional)
Transmitindo distância	& Lt; = 100m (em aberto área)
Cor do escudo	Branco
Peso líquido	0,035 kg

In-kind shooting

SMQT


HF-MC-300


HF-MC-300
2011/02/28

HF-MC-300
ALKALINE BATTERY

HF-MC-300
ALKALINE BATTERY



Function: To detect the door, window, drawer, ambry is illegally open or move.

Features: Triggered under the armed state, there will be alarm signal to send to alarm host.

Installation: installed at the closed door and drawer.(PS:Detectors and magnetic stripe is opposite, the spacing of less tha 1 cm)

Installation Instruction

1、 Emitter and magnetic stripe with two-side glue stick on the door and door frame, as far as possible between closed without gap
2、 Suitable for wood door/window or glass door/window.

•Packaging & shipping

SMQT

Lista de embalagens	
Nome do Produto	EB-130 Sensor de alarme de porta sem fio para alarme de casa
Quantidade	200 peças por caixa
Tamanho do cartão	47 * 37 * 29 (cm)
Peso	10kg

•Office show

SMQT

•*Exhibition*

SMQT