## • Parameter

SMQT

| Especificação | | |
|---|---|---|
| Número de produto | EA-23A | EA-23B |
| Estrutura padrão | Painéis de aço inoxidável, botões metálicos | Painéis de aço inoxidável, botões metálicos |
| Desempenho elétrico | Durabilidade máxima atual 3A36VDC | Durabilidade máxima atual 3A36VDC |
| saída de contato | Contatos NC / COM | Contatos NO / NC / COM |
| Teste de durabilidade | 500.000 vezes de envelhecimento testado | 500.000 vezes de envelhecimento testado |
| Para Tipo | Molduras ocos aplicáveis | Molduras ocos aplicáveis |
| Processamento do Painel | Painel de aço inoxidável escovado | Painel de aço inoxidável escovado |

## • Introduction

SMQT

O botão de saída da porta de controle de acesso é o interruptor de botão de liberação da porta de empurrar inoxidável usado com o sistema de controle de acesso.

## •*Feature*

SMQT

EA-20A

EA-20B

### *Superior Design* NO.1

**Stainless steel wire drawing panel, high temperature resistant shock, do not fade.**

### *Components* NO.2

**PC rubber seal production, full seal lock core.**

EA-23A

EA-23B




## •*Packaging & shipping*

SMQT

## • *Office show*

SMQT

## • *Exhibition*

SMQT

2011 Brazil Fair
2012 Shenyang Fair
2013 Jinan Fair
2013 Shenzhen Fair
共赢
.....
2012 Shenyang Fair
2013 Shenyang Fair
2013 Shenzhen Fair
2015 Shenzhen Fair