


2017 SMQT Новая водонепроницаемая одностворчатая IC / ID-карта TCP / IP автономная клавиатура управления доступом



Наименование товара:	2017 SMQT Новая водонепроницаемая одностворчатая IC / ID-карта TCP / IP автономная клавиатура управления доступом
Модель:	EA-86K
Размер:	96мм * 96мм * 22мм
Кнопка:	13 шт. Устойчивая к износу кнопка
Тип карты:	ИК (13,56) / ID (125 кГц) опционально
Связь:	TCP / IP
Емкость карты:	15000
Производительность записи:	38000
Аварийная запись:	1000
Расстояние связи:	& Л; 100 м
Расстояние чтения:	4-6cm
Время отклика карты памяти:	& Lt; 0.1с
Режим открытия:	Карта / Программное обеспечение / Кнопка двери / Карта + Пароль / Супер пароль
Управляйте напряжением:	12VDC
Текущий ток:	120mA
Температура:	-10 ~ 55 градусов Цельсия
Рабочая влажность:	30% ~ 85%
Водонепроницаемый:	IP66
Цвет:	Черный / белый (опционально)
Вес:	201G
Материал:	Корпус ПК + плата PCB
ОЕМ:	Добро пожаловать OEM и образец заказа для теста
Гарантия:	2 года

ЧТО ТАКОЕ ХАРАКТЕРИСТИКА EA-86K?



1. TCP/IP Access control keypad

2. 15000 Card capacity

3. 38000 record capacity

4. Free B/S mode software

5. IC(13.56MHz) card type

6. Card/PC software/Door release button door open way

7. 2 years warranty , welcome OEM


КАК ЭТО ИСПОЛЬЗОВАТЬ?



Feature:

- Unique PC material shell (appearance patent), the internal seal with a heat sealant, waterproof rating IP65.
- ARM® Cortex™-M0 32-bit processor; high-performance Flash chip storage data.
- High-speed flash memory design, data never lost.
- Each input and output port has protection function.
- Working status and system operating status have LED light.
- Card reader can with LED and BUZZ feedback control signal, alarm signal output, fire linkage.
- Software has time zone management and holiday management functions, flexible password control, alarm control management, with ISP, ICP upgrade program function.
- Software is modular structure, distributed system, with flexible operation authority settings.
- Software use B / S mode, unified deployment, no need to install additional client.
- Software based on TCP / IP protocol, real-time monitoring of the state of the entrance and exits.
- Software have a variety of security management function, such as interlocking, anti-submarine back, video authentication, electronic replacement, the first card, associated card door.
- A variety of controller time zone settings and gate combination authorization can be set on software freely.
- Software have real-time and historical data search query, data timing backup function.
- Standard EXCEL table output data for use by other systems.
- Comprehensive smart card management, including access control, ladder control, parking, patrol, attendance and so on.

Wiring diagram



B/S software operation interface




Time Station: System Settings - System parameters

Name	Parameter type	Parameter value	Parameter	Description	Options
1	Back and return	None/FullTime	100	Prepared back to the workstation	Enabled / Disabled
2	Back and return	None/FullTime	0	Locked between back to workstation	Enabled / Disabled
3	Back and return	None/FullTime	1	Back and return warning message	Enabled / Disabled
4	Back and return	None/FullTime	0	10 minutes before back to workstation (10 min ago)	Enabled / Disabled
5	Control range	Lock/Full	1000	Control per number	Enabled / Disabled
6	Control range	Lock/Full	10000000	Control 10 minutes range	Enabled / Disabled
7	Control range	None/FullTime	0	Back to open door with force (0) 1h	Enabled / Disabled
8	Control range	None/FullTime	0	Control 10000000	Enabled / Disabled
9	Control range	None/FullTime	0	Control 10000000	Enabled / Disabled
10	Control range	None/FullTime	0	Control 10000000	Enabled / Disabled



Time Station: System Settings - System parameters

Name	Parameter type	Parameter value	Parameter	Description	Options
1	Control range	Lock/Full	1000	Control per number	Enabled / Disabled
2	Control range	Lock/Full	10000000	Control 10 minutes range	Enabled / Disabled
3	Control range	None/FullTime	0	Back to open door with force (0) 1h	Enabled / Disabled
4	Control range	None/FullTime	0	Control 10000000	Enabled / Disabled
5	Control range	None/FullTime	0	Control 10000000	Enabled / Disabled
6	Control range	None/FullTime	0	Control 10000000	Enabled / Disabled
7	Control range	None/FullTime	0	Control 10000000	Enabled / Disabled
8	Control range	None/FullTime	0	Control 10000000	Enabled / Disabled
9	Control range	None/FullTime	0	Control 10000000	Enabled / Disabled
10	Control range	None/FullTime	0	Control 10000000	Enabled / Disabled



КАК О ДРУГОЙ ВЫБОР?


SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



ОФИСНЫЙ ШОУ



КЛИЕНТ



ВЫСТАВКА



СЕРТИФИКАЦИЯ



УПАКОВКА И ПЕРЕВОЗКА ГРУЗА



VARIETY OF PAYMENT OPTIONS

T/T L/C
30/70 AT SIGHT/90DAY



Вопросы-Ответы

В: Можно ли заказать образец?

А: Да, мы готовы предложить пробный образец для вас для проверки качества. Смешанные образцы приемлемы.

В: Каково время?

А: Образец потребности 1-3 рабочих дней, массовое время продукции требует 10-15 рабочих дней для заказа чем 5000pcs.

Q: У вас есть лимит MOQ?

А: EXW MOQ составляет 100 штук под пустым ящиком.

Вопрос: Как вы отправляете товар и как долго он прибывает?

А: Образец будет отправлен вам по дополнительному сервису доставки (курьером, воздухом и морем). Время доставки зависит от службы доставки.

Вопрос: Как мы будем действовать, если у меня есть логотип для печати?

А: Во-первых, мы подготовим обложку для визуального подтверждения. Если цвет и положение правильные, мы бы сделали выборку сначала из фабрики шелкографии и сделали снимок для вашего второго подтверждения до сделать нормальную продукцию.