

● Parameter

SMQT

Габаритные размеры	65 * 30 * 17 (мм)
Рабочее напряжение	3,7 В / 200 мАч
Время зарядки	> 12 часов
Время работы аккумулятора при полной нагрузке	≤ 1 год
разрыв	40 ± 5 мм
Радиочастота	315 МГц / 433 МГц / 868 МГц
Расстояние передачи	≤100 м (под открытым небом)

● Introduction

SMQT

Огнестойкий материал корпуса, безопасность и стабильность.

Стабильная, стабильная производительность, зеленый.

Гибкая пропускная способность, варианты стабильности частоты.

Беспроводной замок датчика контакта двери с частотой тревоги 433 МГц или 868 МГц, подходит для использования в дверях или окнах.

● Dimesion Picture

SMQT



● Installations

SMQT

Wireless Magnetic Contact Sensor



The unique door/window magnetic contact with the emergency button in security industry . make sure more safety for user;
 · Induce the door or window open or close and gap in 10mm, the wireless transmission up to 80 meter.



Stable, stable performance, green.
 Flexible transmission capacity, frequency stability options.

● Features

SMQT



Multifunctional, the new model, patented design.

Tradition, stability, durability
 Imported touch reed switch
 Fire-retardant casing material, security and stability.
 Comes with emergency button, an accessory, a variety of uses.



Built-in battery, used or release anytime.

Smart power-saving built-in battery design,the sensor also can work at home even tough power cut out, comes with high-energy battery, sustainable use of uninterruptible power supply

Reed , A special magnetic switch

Imports Reed touch than the general mechanical switch of simple structure, small size, high speed, long working life, and strong anti-shock load, high operating reliability.



● Packing list

SMQT

Кол-во	200 / коробка
Спецификации упаковки	40 * 30 * 20 (см)
Вес упаковки	10Kg

● Office

SMQT



● Exhibitions

SMQT

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair