

Key–reset emergency button

fireproof ABS material shell, key–reset, suitable
for access control and alarm system.

SMQT



• *Parameter*


SMQT

Спецификация	
Наименование товара	Кнопка аварийного сброса ключа
модель продукта	ЕВ-128
Размер товара	86 * 86 * 32 (мм)
Ток нагрузки	1.25А
Рабочее напряжение	12VDC
реле давления	250VDC
режим сброса	Клавиша сброса
Рабочая Температура	-10 °С влажность ~ 80 °С + 0-85%
бесконтактном режиме	Нормально открытый нормально закрытый

• *Introduction*

SMQT

PRODUCT PICTURE




Ключ Кнопка остальные тревоги паники используется с системой

контроля доступа и системы охранной сигнализации для аварийной ситуации.

• *Dimension*

SMQT



• *Feature*

SMQT

PRODUCT FEATURE



Key-reset emergency button

Fireproof ABS material shell

Suitable for access control and alarm system

NO/NC contact output

Metal key-reset and wall-mounted installation

2 years quality warranty and welcome OEM

• *Packaging & shipping*

SMQT



● *Office show*

SMQT®



● *Exhibition*

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair