

wireless Solar Siren

Fireproof ABS housing, 105 sound pressure,
AC 110V-240V, USB 5V, solar Power supply,
color(red/blue optional).



SMQT

• *Parameter*


SMQT

резервного питания	3.7V 1800mAh 18650 тип перезаряжаемая батарея 9В 6F22 батареи 1
Выходной ток Панель солнечных батарей	Под 2000LUX условий освещения $\geq 4\text{mA}$
Максимальный объем	110dB
Максимальный ток сигнализации	& Л; 500mA
ток в режиме ожидания	& Л; 1mA
Аккумулятора в режиме ожидания	& Л; 45 дней (без условий освещения)
Радиочастота	315MHZ
Условия использования	Температура $-10\text{ }^{\circ}\text{C} \sim +55\text{ }^{\circ}\text{C}$ Относительная влажность $\leq 80\%$ (без конденсации)
Материал корпуса	PC + ABS + анти-УФ
размер	* 230 309 * 80 (мм)

• *Introduction*

SMQT

PRODUCT PICTURE



Электромеханического электромотор сирена как на электронный

строб солнечных сирены использовать с системой сигнализации.

• *Dimension*

SMQT



• *Feature*

SMQT

PRODUCT FEATURE



EB-168W

1. Waterproof Shell →

2. Intelligent Control →

*3. Lithium batteries,
solar charger* →

4. Tamper alarm →

Your hearing, you kown, no worry!



Solar power



Wireless outdoor solar strobe light siren

Wireless connection



Apply for Wireless home alarm system

• Packaging & shipping

SMQT®



• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair