

• *Parameter*

SMQT®

Габаритные размеры	224L * 224W * 83H (мм)
Выходное напряжение	DC12V
Выходной ток	5A
Выходная мощность	60W
установка задержки	0 ~ 10s
Специально разработанные	Дважды стеклопакет, медный трансформатор, стальная оболочка
функция безопасности	Защита от короткого замыкания, защита от заряда-разряда
Объем	Контроль доступа, построение системы внутренней связи
Может быть доступны резервной батареи	12V 7Ач

• *Introduction*

SMQT®



Водонепроницаемый источник бесперебойного питания (ИБП) является переменной 12v питания Китай сделал и используется с системой управления двери Accesss и системы охранной сигнализации.

• Dimension

SMQT



• Feature

SMQT



Access control switch power supply

AC 220V input, DC 12V 5A output

0~10s time relay(adjustable)

Short circuit protection, charge protection

Double face PC board, pure copper

transformer, steel shell


Suitable for access control and

doorphone system

12v 7Ah backup battery optional

Welcome OEM and order sample test

2 years quality warranty



• *Packaging & shipping*



● *Office show*

SMQT®



● *Exhibition*

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

.....

How to cooperation

SMQT



Trade terms:	EXW
Payment terms:	T/T, Western union, Paypal etc
Delivery time:	Normal order within 7 days, bulk order 10-15days
Packing:	Neutral paper box and paper carton
Shipping:	Express company or by sea, by air or appointed by buyer