

# Wired magnetic contact sensor

*Fireproof ABS material shell*

*NO/NC model optional*


*Brown/white color optoinal*

*20±5(mm) gap distance*

*Suitable wooden door or window*

*14g weight*

**SMQT®**



## • Parameter

**SMQT®**

|                        |                                 |
|------------------------|---------------------------------|
| Габаритные размеры     | 41L * 34W * 6.5H (мм)           |
| подключение            | NC / NO                         |
| Рабочее расстояние     | 20 ± 5 (мм)                     |
| Максимальная прочность | ≤100VDC                         |
| Ток нагрузки           | ≤500mA                          |
| Рабочая мощность       | ≤10W                            |
| Материал корпуса       | ABS огнестойкий форму материала |
| Цвет                   | Коричневый / Белый              |
| Объем                  | Цветных двери или окна          |
| Вес изделия            | 14g                             |

## • Introduction

**SMQT®**

Электронный дверной выключатель магнитный датчик выключатель магнитный детектор и magnetic оконный контакт переключатель 12v для системы контроля доступа и системы охранной сигнализации.

# PRODUCT PICTURE



## PRODUCT FEATURE



*Dimension: 34×41×6.5(mm)*

*NO/NC mode optional*

*20±5(mm) distance gap*

*MAX voltage ≤ 100VDC, MAX current ≤ 500mA*

*Fireproof ABS material shell*

*White/Brown color optional*

*Suitable for wooden door or window*

*14g weight*

*2 years quality warranty, welcome OEM*



## ● Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....

2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

