

# STROBE LIGHT

Fireproof ABS housing,DC 12V Power supply, 68/m strobe speed, color(red/blue/green/orange optional).

**SMQT**




## • *Parameter*

**SMQT**

<b>параметр</b>	
Продукт имя	Проводной электрический свет строба от производителя сигнализации Strobe Light
Модель	EB-169
измерение	73ø × 44 (мм)
За работой мощность	12V DC
операционная текущий	200mA
контакт вывод	NET / NC
строб скорость	68T / м
цвет	Красный / Буле / Зеленый / Оранжевый (опционально)
Подходящее для	Огонь сигнализации, безопасности дома
материалы	несгораемый ABS шланги
вес	0.01kg

## • *Introduction*

**SMQT**



• *Feature*

**SMQT**



## *Strobe Alarming light*

- 1.Suitable for higher-end stroboscopic system model.
- 2.Chimney texture design improves the light diffusion effect.
- 3.Flash 90 times per minute.
- 4.The high-quality LED light.
- 5.IP44 protection grade.
- 6.AS+ABS shell.

## *LED guide plate*

Select high-quality materials, strict quality control, production of exquisite workmanship. This assures the mixer durable products.



## *Combination of fixed base plate*

Base plate is divided into two pieces, shape material are exactly the same.

Also can use double post stent paste on the wall.

## *Strobe indicator light*

LED lights, flash frequency up to 90 times a minute.



список Упаковка	
Наименование товара	ЕВ-169 Проводной электрический свет строба от производителя сигнализации Strobe Light
Кол-во	100 штук в коробке
Размер коробки	39 * 30 * 36 (см)
вес	11кг





## ● Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

.....