

STROBE LIGHT

Fireproof ABS housing,DC 12V Power supply, 68/m strobe speed, color(red/blue/green/orange optional).

SMQT




• Parameter

SMQT

параметр	
Продукт имя	Проводной электрический свет строба от производителя сигнализации Strobe Light
Модель	EB-169
измерение	73ø × 44 (мм)
За работой мощность	12V DC
операционная текущий	200mA
контакт вывод	NET / NC
строб скорость	68T / м
цвет	Красный / Буле / Зеленый / Оранжевый (опционально)
Подходящее для	Огонь сигнализации, безопасности дома
материалы	несгораемый ABS шланги
вес	0.01kg

• Introduction

SMQT



• *Feature*

SMQT



Strobe Alarming light

- 1.Suitable for higher-end stroboscopic system model.
- 2.Chimney texture design improves the light diffusion effect.
- 3.Flash 90 times per minute.
- 4.The high-quality LED light.
- 5.IP44 protection grade.
- 6.AS+ABS shell.

LED guide plate

Select high-quality materials, strict quality control, production of exquisite workmanship. This assures the mixer durable products.



Combination of fixed base plate

Base plate is divided into two pieces, shape material are exactly the same.

Also can use double post stent paste on the wall.

Strobe indicator light

LED lights, flash frequency up to 90 times a minute.



список Упаковка	
Наименование товара	ЕВ-169 Проводной электрический свет строба от производителя сигнализации Strobe Light
Кол-во	100 штук в коробке
Размер коробки	39 * 30 * 36 (см)
вес	11кг





● Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....

2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

