




with face temperature and mask checking

[illegible]

WDR	≥80db	
無線LAN規格		
無線LAN規格	1.2-2.2 M 無線LAN規格	
無線LAN規格	0.5-2 無線LAN規格	
無線LAN規格	無線LAN規格± 40 無線LAN規格	
Reco 無線LAN規格	<500ms	
無線LAN規格	無線LAN規格 22400 無線LAN規格 100000 無線LAN規格	
無線LAN規格		
無線LAN規格	30-45 (°C)	
無線LAN規格	± 0.5 (無線LAN規格)	
無線LAN規格	0.4	
無線LAN規格	<500ms	
無線LAN規格		
無線LAN規格	RJ45 10M / 100M 無線LAN規格	
無線LAN規格 Weigand	無線LAN規格 / 無線LAN規格 26 無線LAN規格 34	
無線LAN規格	無線LAN規格 1 無線LAN規格	
無線LAN規格	無線LAN規格 1USB (無線LAN規格 ID Identifier)	
無線LAN規格		
無線LAN規格	DC 12 無線LAN規格 / 3A	
無線LAN規格	20W (無線LAN規格)	
無線LAN規格	-15 °C ~ + 60 °C	
無線LAN規格	5 ~ 90% 無線LAN規格	
無線LAN規格	123.5 (W) * 45.5 (H) * 266 (L) 無線LAN規格	123.5 (W) * 45.5 (H) * 266 (L) 無線LAN規格
無線LAN規格	1.9 無線LAN規格	2.1 無線LAN規格

feateurs MF-T1008

Size




Device Feature

10 system languages and voice adjustable

English
繁体中文
русский
Deutsch
Le français
한국어
Português
Espanol
lingua italiana
日本の


Celsius and Fahrenheit temperature display adjustable



Wire interface introduction



Browser software interface



Body temperature detecting in live



MF-1008A



MF-1008B

Temperature measurement range 30-45 (°C) Accuracy $\pm 0.5(^{\circ}\text{C})$;

Automatically identify unmasked personnel and provide real-time warning;

Support mid-range temperature measurement and real-time warning of high temperature;

Support temperature data SDK and HTTP protocol docking;

Support binocular live detection;

Unique face recognition algorithm to accurately recognize faces, face recognition;
time <500ms;

Adopt Linux operating system for better system stability;


IP34 rated dust and water resistant;

MTBF> 50000 H;

Support 22400 face comparison library and 100,000 face recognition records;

Support one Wiegand input or Wiegand output;


Packages



Optional Bracket



A bracket
For MF-1008B




B bracket
For MF-1008B

0.55m



C bracket
For MF-1008B

1.1m



D bracket
For MF-1008A

1.3m

Access control & Time attendance



Apply to a variety of **access control** and **time attendance** sites, such as factories, offices, schools, supermarkets, and so on.

□□□□□□□□□□□□□□□□□□?



