

220V AC 12V DC 172*212*70mm 110v 220



Model	220V AC 12V DC 172*212*70mm 110v 220
Dimensions	172 * 212 * 70
Input Voltage	110-240VAC
Input Frequency	50-60 Hz
Output Voltage	12VDC
Output Current	5A
Power	50W
Standby Time	0 ~ 15seconds
Operating Temperature	-20 ~ 60 °C


Access control switch power supply




1. Switch power supply small size and light weight.
2. Switch power supply regulator with a wide range, voltage regulator works well. Cooling is small, does not require heat sinks.
3. Filtering efficiency gains, so that the capacity and size of filter capacitor greatly reduced.
4. Power consumption less, and high power. In the switching power supply circuit used in power switching transistor V is small, can greatly improve the power efficiency.

□□□□□□□□□□□□□□

□□□□□□□□□□□□



□□□□□□□□□□



□□□□□□□□□□□□□□□□

□□□□□□□



CE RoHS FC



CE RoHS FC



CE RoHS FC



CE RoHS FC



CE RoHS FC



CE RoHS FC



CE RoHS FC



CE RoHS FC



CE RoHS FC

□□□□□□□□□□

□□□□□□□□□□



□□□□□□



□□□□□□□□

2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair






Trade terms:	EXW
Payment terms:	T/T, Western union, Paypal etc
Delivery time:	Normal order within 7 days, bulk order 10-15days
Packing:	Neutral paper box and paper carton
Shipping:	Express company or by sea, by air or appointed by buyer

Copyright © 2014 Pearson Education, Inc.

[illegible][illegible]

□ □ □ : □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

A:  1-3  10-15  5000pcs

QUESTION

A: EXW 100pcs

[illegible]

A: 本報告係根據本會所屬之「國家安全情報中心」(以下簡稱「情報中心」)所蒐集之資料，經本會整理、分析、研判後所提出之報告。報告內容係根據目前所掌握之資料，並經本會同仁多次討論、修正後所提出之報告。報告內容如有錯誤，請逕向本會提出異議，以便本會進行修正。

:

A: 00000000 000000000000000000000000 000000000000000000000000 0000 00000
00000000000000000000000000000000 000000000000000000000000

Q: 我最近常感到疲倦，而且胃口不佳，这是怎么回事？

A:

EV1527

