



型番	ABE
測定距離範囲	測定距離: 150m 300m 450m 600m 750m 測定範囲: 50m 100m 150m 200m 250m (測定範囲)
動作電圧	13.8 ~ 24VDC 11 ~ 28VAC
動作電流	40-65mA
測定精度	50 ~ 700m / 測定範囲
動作温度範囲	測定範囲
動作湿度範囲	-20°C ~ + 50 °C
動作湿度範囲	NO / NC
動作湿度範囲	180 °± 90 °
動作湿度範囲	± 10 °
動作湿度範囲	動作湿度範囲
動作湿度範囲	動作湿度範囲

測定距離範囲: 150m 300m 450m 600m 750m
測定範囲: 50m 100m 150m 200m 250m (測定範囲)
動作電圧: 13.8 ~ 24VDC 11 ~ 28VAC
動作電流: 40-65mA
測定精度: 50 ~ 700m / 測定範囲
動作温度範囲: 測定範囲
動作湿度範囲: -20°C ~ + 50 °C
動作湿度範囲: NO / NC
動作湿度範囲: 180 °± 90 °
動作湿度範囲: ± 10 °
動作湿度範囲: 動作湿度範囲
動作湿度範囲: 動作湿度範囲




● Dimesion Picture

SMQT



● Installations

SMQT



Optional Bracket Accessories: T Bracket

T-200 T-100
200×120mm 100×120mm

L Bracket


80×75mm







I Bracket

I-100
100mm
I-200
200mm





Housing



High speed

Fast running (6.9m/s)

Fast walking (1.2m/s)

Normal walking (0.7m/s)

Slow walking (0.4m/s)




● Packing list

SMOT



ê





● Exhibitions

SMQT

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....

2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

